

**EXAMINATION #1 VERSION B**  
**“Mathematical Tools”**  
**September 6, 2022**

**INSTRUCTIONS:** This exam is closed-book, closed-notes. Calculators, mobile phones, and wireless devices are NOT permitted. Point values for each question are noted in brackets.

**I. MULTIPLE CHOICE:** Circle the one best answer to each question. Use margins for scratch work. [2 pts each—30 pts total]

(1) If the derivative of a function is negative, then

- a. the value of the function is positive.
- b. the value of the function is negative.
- c. the graph of the function slopes up.
- d. the graph of the function slopes down.

(2) Suppose  $y = 4 + (5/x)$ . Then the derivative of  $y$  with respect to  $x$  is given by the formula

- a.  $dy/dx = -1$ .
- b.  $dy/dx = -5/x^2$ .
- c.  $dy/dx = 4/x^2$ .
- d.  $dy/dx = 5x$ .
- e. none of the above.

(3) Suppose  $y = 2x^2 + 3x + 4$ . Then the derivative of  $y$  with respect to  $x$  is

- a.  $dy/dx = 2x$ .
- b.  $dy/dx = 9x$ .
- c.  $dy/dx = 3$ .
- d.  $dy/dx = 4x + 3$ .
- e.  $dy/dx = 2x + 3$ .
- f.  $dy/dx = 2x^2 + 3x + 4$ .

(4) Suppose  $y = (x+2)^4$ . Then the derivative of  $y$  with respect to  $x$  is given by

- a.  $dy/dx = 5$ .
- b.  $dy/dx = 4x$ .
- c.  $dy/dx = 4(x+2)$ .
- d.  $dy/dx = 4(x+2)^3$ .
- e. none of the above.

(5) Suppose  $y = x^{2/3}$ . Then the derivative of  $y$  with respect to  $x$  is given by

- a.  $dy/dx = (2/3)x$ .
- b.  $dy/dx = x^{-1/3}$ .
- c.  $dy/dx = (2/3)x^{-1/3}$ .
- d.  $dy/dx = x^{1/3}$ .
- e. none of the above.

(6) Suppose  $y = 5(4x+3)^2$ . Then the derivative of  $y$  with respect to  $x$  is

- a.  $dy/dx = 5(4x+3)$ .
- b.  $dy/dx = 40(4x+3)$ .
- c.  $dy/dx = 10(4x+3)^2$ .
- d.  $dy/dx = 4(x+3)$ .
- e.  $dy/dx = 5(7)^2$ .


(7) Which of the following functions has constant slope (or derivative)?

- a.  $y = 3 + 5x + (5/6)x^6$ .
- b.  $y = 3x^{-6}$ .
- c.  $y = \ln(6x)$ .
- d.  $y = \exp(5x)$ .
- e.  $y = 3 + 6x$ .
- f.  $y = 3 + (5/x)$ .

(8) If  $x$  increases by 5 percent, then  $\ln(x)$  increases by about

- a. 5 percent.
- b. 0.05 percent.
- c.  $\ln(5)$ , or about 1.609 units.
- d. 0.05 units.
- e. 5 units.

The next question refers to the following graph of  $y = f(x)$ .



(9) In this graph, the derivative of  $y$  with respect to  $x$  (that is,  $df/dx$ ) equals zero at

- a. no point on the graph.
- b. one point on the graph.
- c. two points on the graph.
- d. three points on the graph.
- e. four points on the graph.
- f. more than four points on the graph.

(10) Suppose we have a function  $y = f(x)$ , which is continuously differentiable. At this function's maximum value,

- a.  $f(x) = 0$ .
- b.  $df/dx = 0$ .
- c.  $df/dx$  is as large as possible.
- d.  $f(x) = 1$ .
- e.  $df/dx = 1$ .

(11) If  $y$  is proportional to  $x$ , (that is, if  $y = ax$ , where  $a$  is an unknown constant) then the elasticity of  $y$  with respect to  $x$  equals

- a.  $x$ .
- b.  $a$ .
- c. zero.
- d. one-half.
- e. one.

(12) Consider the following functions. Which has constant elasticity?


- a.  $y = 3 + 5x + (5/6)x^6$ .
- b.  $y = 3x^{-6}$ .
- c.  $y = \ln(6x)$ .
- d.  $y = \exp(5x)$ .
- e.  $y = 3 + 6x$ .
- f.  $y = 3 + (5/x)$ .

(13) A straight line has constant

- a. slope.
- b. elasticity.
- c. both of the above.
- d. none of the above.

(14) Suppose  $y$  depends on both  $x_1$  and  $x_2$ , so that  $y = f(x_1, x_2)$ . By definition,  $\partial y / \partial x_1$ , the partial derivative of  $y$  with respect to  $x_1$ , is the ratio of the change in  $y$  to the change in  $x_1$  when

- $x_1$  is held constant.
- $x_2$  is held constant.
- $y$  is held constant.
- $x_1$  is held equal to  $x_2$ .



The next question refers to the following graph of a level curve, or contour, of the function  $y = f(x_1, x_2)$ .

(15) By definition, at all points along the curve in this graph,

- the marginal rate of substitution is constant.
- the value of  $x_1$  is constant.
- the value of  $x_2$  is constant.
- the values of both  $x_1$ , and  $x_2$  are constant.
- the value of  $y$  is constant.
- all of the above.

**II. SHORT ANSWER:** Please write your answers in the boxes on this question sheet. Use margins for scratch work.

(1) [4 pts] Suppose the derivative of the function  $y = f(x)$  equals 2 at a particular value of  $x$ . Moreover, the elasticity of  $y$  with respect to  $x$  equals 0.5. Further suppose that  $x$  increases by 3 *units*. [Hint: Some of this information is extraneous and not needed to answer this question.]

- Will  $y$  *increase* or *decrease*?
- By about how much?

units

(2) [4 pts] Consider the function  $y = f(x_1, x_2)$ . Suppose at a particular point,  $\partial y / \partial x_1 = 4$ , and  $\partial y / \partial x_2 = 6$ , and that the partial elasticities are  $\epsilon_1 = 0.5$  and  $\epsilon_2 = 1.5$ . Further suppose that  $x_1$  increases by 4 *percent* and simultaneously  $x_2$  increases by 2 *percent*. [Hint: Some of this information is extraneous and not needed to answer this question.]

- Will  $y$  *increase* or *decrease*?
- By about how much?

percent

(3) [4 pts] Consumer spending on gasoline equals price (per gallon) times quantity (number of gallons). Suppose price decreases by 5 percent and quantity increases by 1 percent.

a. Will spending on gasoline *increase* or *decrease*?

--

b. By about how much?

percent
---------

(4) [4 pts] Income per capita for a country equals total income divided by total population. Suppose total income increases by 3 percent and total population increases by 5 percent.

a. Will income per capita *increase* or *decrease*?

--

b. By about how much?

percent
---------

(5) [8 pts] Consider the function  $y = f(x_1, x_2)$ . Suppose at a particular point,  $\partial y / \partial x_1 = 4$ , and  $\partial y / \partial x_2 = 3$ . First, suppose that  $x_1$  increases by 6 units but  $x_2$  does not change.

a. Will  $y$  *increase* or *decrease*?

--

b. By about how much?

units
-------

Now suppose that  $x_1$  increases by 6 units but we want  $y$  to remain constant. To keep  $y$  constant, we must change the value of  $x_2$ .

c. Must  $x_2$  *increase* or *decrease*?

--

d. By about how much?

units
-------

(6) [4 pts] Consider the function  $y = f(x_1, x_2)$ . Suppose at a particular point,  $\partial y / \partial x_1 = 5$ , and  $\partial y / \partial x_2 = 3$ . Now consider a graph of the level curve of this function, with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis.

a. Does the level curve of the function slope *up* or *down* at that point?

--

b. Give the slope of the level curve at this point.

--

**III. PROBLEMS:** Please write your answers in the boxes on this question sheet. Show your work and circle your final answers.

(1) [Optimization: 8 pts] Consider the function  $y = f(x) = -(x^2/2) - 10x + 7$ .

- a. Find an expression (in terms of  $x$ ) for the derivative of  $y$  with respect to  $x$  ( $dy/dx$ ).

- b. Compute the value  $x^*$  that maximizes this function.

- c. For what range of values of  $x$  does this function slope up? For what range of values does it slope down?

- d. Find the maximum value,  $y^*$ , of the function itself.

(2) [Partial elasticities: 6 pts] Suppose  $y = x_1^5 (x_2 + 1)^4$ .

- a. Find an expression for  $\varepsilon_1$ , the partial elasticity of  $y$  with respect to  $x_1$ . The variable  $y$  should *not* appear in your answer. Simplify if possible.

- b. Find an expression for  $\varepsilon_2$ , the partial elasticity of  $y$  with respect to  $x_2$ . The variable  $y$  should *not* appear in your answer. Simplify if possible.

(3) [MRS: 12 pts] Suppose  $y = f(x_1, x_2) = 6x_1^{1/2} + 2x_2^{1/2}$ . The arguments  $x_1$  and  $x_2$  are strictly positive.

- a. Find an expression for the partial derivative of  $y$  with respect to  $x_1$ .

- b. Find an expression for the partial derivative of  $y$  with respect to  $x_2$ .

- c. Find an expression for the marginal rate of substitution of  $x_2$  for  $x_1$  (that is, the formula for the |slope| of the level curves of  $y$ , with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis). Simplify if possible.

(4) [MRS: 12 pts] Suppose  $y = f(x_1, x_2) = (x_1 + 2)^3 (x_2 + 1)^4$ . The arguments  $x_1$  and  $x_2$  are strictly positive.

- a. Find an expression for the partial derivative of  $y$  with respect to  $x_1$ .

- b. Find an expression for the partial derivative of  $y$  with respect to  $x_2$ .

- c. Find an expression for the marginal rate of substitution of  $x_2$  for  $x_1$  (that is, the formula for the |slope| of the level curves of  $y$ , with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis). Simplify if possible.



**IV. CRITICAL THINKING:** [4 pts] Answer *one* question below (your choice). Circle the question you are answering. Justify your answer and show your work.

(1) Let the function  $f(x)$  represent net benefit to society as a function of some variable  $x$ , which might represent the amount of output of some good or service. Now  $f(x)$  is itself the difference of two other functions  $b(x)$  and  $c(x)$ , representing benefits and costs of  $x$ , respectively, so that  $f(x) = b(x) - c(x)$ . When  $f(x)$  is maximized, what must be the relationship between the derivatives  $db/dx$  and  $dc/dx$ ? Why?

(2) Suppose consumer spending on some good is constant, regardless of the price, so that for all values of  $P$  and  $Q$ ,  $P \times Q = c$ , where  $c$  is some constant. Solve for  $Q$  and find the elasticity of  $Q$  with respect to  $P$ . Does the elasticity depend on the value of  $c$ ?

[end of exam]