

**EXAMINATION 1 VERSION B**  
**“Mathematical Tools”**  
**September 5, 2023**

**INSTRUCTIONS:** This exam is closed-book, closed-notes. Calculators, mobile phones, and wireless devices are NOT permitted. Point values for each question are noted in brackets.

**I. MULTIPLE CHOICE:** Circle the one best answer to each question. Use margins for scratch work. [2 pts each—30 pts total]

(1) Suppose the derivative of the function  $y = f(x)$  equals 3 at a particular value of  $x$ .

At that point, the graph of the function is

- a. upward-sloping.
- b. downward-sloping.
- c. vertical.
- d. horizontal.
- e. cannot be determined from the information given.

(2) Suppose  $y = 8 + (5/x)$ . Then the derivative of  $y$  with respect to  $x$  is given by the formula

- a.  $dy/dx = 5$ .
- b.  $dy/dx = 8x$ .
- c.  $dy/dx = 5/x^2$ .
- d.  $dy/dx = -5/x^2$ .
- e. none of the above.

(3) Suppose  $y = 4x^2 - 2x + 6$ . Then the derivative of  $y$  with respect to  $x$  is

- a.  $dy/dx = 1$ .
- b.  $dy/dx = 2$ .
- c.  $dy/dx = -2$ .
- d.  $dy/dx = 8$ .
- e.  $dy/dx = 8x - 2$ .
- f.  $dy/dx = 8x^2 - 2x + 6$ .

(4) Suppose  $y = (x-10)^2$ . Then the derivative of  $y$  with respect to  $x$  is given by

- a.  $dy/dx = 2(x-10)$ .
- b.  $dy/dx = (x-10)$ .
- c.  $dy/dx = 2$ .
- d.  $dy/dx = 2x$ .
- e. none of the above.

(5) Suppose  $y = x^{-5}$ . Then the derivative of  $y$  with respect to  $x$  is given by

- a.  $dy/dx = -5$ .
- b.  $dy/dx = x^{-4}$ .
- c.  $dy/dx = -5x^{-4}$ .
- d.  $dy/dx = -5x^{-6}$ .
- e. none of the above.

(6) Suppose  $y = 2(3x+4)^5$ . Then the derivative of  $y$  with respect to  $x$  is

- a.  $dy/dx = 10$ .
- b.  $dy/dx = 6(3x+4)^4$ .
- c.  $dy/dx = 10(3x+4)^2$ .
- d.  $dy/dx = 10(3x+4)^4$ .
- e.  $dy/dx = 30(3x+4)^4$ .


(7) Which of the following functions has constant slope (or derivative)?

- a.  $y = 4 + 8x$ .
- b.  $y = 4 + (3/x)$ .
- c.  $y = 4 + 3x + (3/8)x^8$ .
- d.  $y = 4x^{-8}$ .
- e.  $y = \ln(8x)$ .
- f.  $y = \exp(3x)$ .

(8) If  $x$  increases by 3 percent, then  $\ln(x)$  increases by about

- a.  $\ln(3)$ , or about 1.099 units.
- b. 0.03 percent.
- c. 0.03 units.
- d. 3 percent.
- e. 3 units.

The next question refers to the following graph of  $y = f(x)$ .



(9) In this graph, the derivative of  $y$  with respect to  $x$  (that is,  $df/dx$ ) equals zero at

- a. no point on the graph.
- b. one point on the graph.
- c. two points on the graph.
- d. three points on the graph.
- e. four points on the graph.
- f. more than four points on the graph.

(10) Suppose we have a function  $y = f(x)$ , which is continuously differentiable. The first-order necessary condition (FONC) for a minimum is

- a.  $f(x) = 0$ .
- b.  $f(x) = 1$ .
- c.  $df/dx$  is as small as possible.
- d.  $df/dx = 0$ .
- e.  $df/dx = 1$

(11) If  $y$  is inversely proportional to  $x$ , (that is, if  $y = a/x$ , where  $a$  is an unknown constant) then the elasticity of  $y$  with respect to  $x$  equals

- a. zero.
- b.  $a$ .
- c.  $-a$ .
- d.  $-1$ .
- e.  $-x$ .


(12) Consider the following functions. Which has constant elasticity?

- a.  $y = 4 + 8x$ .
- b.  $y = 4 + (3/x)$ .
- c.  $y = 4 + 3x + (3/8)x^8$ .
- d.  $y = 4x^{-8}$ .
- e.  $y = \ln(8x)$ .
- f.  $y = \exp(3x)$ .

(13) A straight line does not have constant

- a. slope.
- b. elasticity.
- c. It has both constant slope and constant elasticity.
- d. It has neither constant slope nor constant elasticity.

The next two questions refer to the following graph of a level curve, or contour, of the function  $y = f(x_1, x_2)$ .



- (14) By definition, all points along the curve in this graph have identical values of
- $y$ .
  - $x_1$ .
  - $x_2$ .
  - the marginal rate of substitution.
  - all of the above.
  - none of the above.

- (15) Along this level curve, as we move down and to the right, the marginal rate of substitution of  $x_2$  for  $x_1$  (that is, the  $|\text{slope}|$  of the level curve with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis) is
- increasing.
  - diminishing.
  - infinite.
  - constant and equal to zero.
  - constant and equal to one.

**II. SHORT ANSWER:** Please write your answers in the boxes on this question sheet. Use margins for scratch work.

(1) [4 pts] Suppose the derivative of the function  $y = f(x)$  equals 5 at a particular value of  $x$ . Moreover, the elasticity of  $y$  with respect to  $x$  equals 1.5. Further suppose that  $x$  increases by 2 percent. [Hint: Some of this information is extraneous and not needed to answer this question.]

a. Will  $y$  increase or decrease?

b. By about how much?

percent

(2) [4 pts] Consider the function  $y = f(x_1, x_2)$ . Suppose at a particular point,  $\partial y / \partial x_1 = 2.5$ , and  $\partial y / \partial x_2 = 3.5$ , and that the partial elasticities are  $\epsilon_1 = 1$  and  $\epsilon_2 = 3$ . Further suppose that  $x_1$  increases by 4 units and simultaneously  $x_2$  increases by 2 units. [Hint: Some of this information is extraneous and not needed to answer this question.]

a. Will  $y$  increase or decrease?

b. By about how much?

units

(3) [4 pts] Consumer spending on food equals price times quantity. Suppose the price of food increases by 8 percent and quantity decreases by 2 percent.

a. Will spending on food *increase* or *decrease*?

--

b. By about how much?

percent
---------

(4) [4 pts] Income per capita for a country equals total income divided by total population. Suppose total income increases by 5 percent and total population increases by 2 percent.

a. Will income per capita *increase* or *decrease*?

--

b. By about how much?

percent
---------

(5) [8 pts] Consider the function  $y = f(x_1, x_2)$ . Suppose at a particular point,  $\partial y / \partial x_1 = 5$ , and  $\partial y / \partial x_2 = 10$ . First, suppose that  $x_1$  increases by 4 units but  $x_2$  does not change.

a. Will  $y$  *increase* or *decrease*?

--

b. By about how much?

units
-------

Now suppose that  $x_1$  increases by 4 units but we want  $y$  to remain constant. To keep  $y$  constant, we must change the value of  $x_2$ .

c. Must  $x_2$  *increase* or *decrease*?

--

d. By about how much?

units
-------

(6) [4 pts] Consider the function  $y = f(x_1, x_2)$ . Suppose at a particular point,  $\partial y / \partial x_1 = 5$ , and  $\partial y / \partial x_2 = -10$ . Now consider a graph of the level curve of this function, with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis.

a. Does the level curve of the function slope *up* or *down* at that point?

--

b. Give the slope of the level curve at this point.

--

**III. PROBLEMS:** Please write your answers in the boxes on this question sheet. Show your work and circle your final answers.

(1) [Optimization: 8 pts] Consider the function  $y = f(x) = 0.5x^2 - 4x + 7$ .

- a. Find an expression (in terms of  $x$ ) for the derivative of  $y$  with respect to  $x$  ( $dy/dx$ ).

- b. Compute the value  $x^*$  that minimizes this function.

- c. For what range of values of  $x$  does this function slope up? For what range of values does it slope down?

- d. Find the minimum value,  $y^*$ , of the function itself.

(2) [Partial elasticities: 6 pts] Suppose  $y = x_1^3 (x_2 - 1)^2$ .

- a. Find an expression for  $\varepsilon_1$ , the partial elasticity of  $y$  with respect to  $x_1$ . The variable  $y$  should *not* appear in your answer. Simplify if possible.

- b. Find an expression for  $\varepsilon_2$ , the partial elasticity of  $y$  with respect to  $x_2$ . The variable  $y$  should *not* appear in your answer. Simplify if possible.

(3) [MRS: 12 pts] Suppose  $y = f(x_1, x_2) = (x_1 - 1)^2 (x_2 - 3)^4$ . The arguments  $x_1$  and  $x_2$  are strictly greater than 3.

- a. Find an expression for the partial derivative of  $y$  with respect to  $x_1$ .

- b. Find an expression for the partial derivative of  $y$  with respect to  $x_2$ .

- c. Find an expression for the marginal rate of substitution of  $x_2$  for  $x_1$  (that is, the formula for the |slope| of the level curves of  $y$ , with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis). Simplify if possible.

(4) [MRS: 12 pts] Suppose  $y = f(x_1, x_2) = 4x_1^{1/2} + 10x_2^{1/2}$ . The arguments  $x_1$  and  $x_2$  are nonnegative.

- a. Find an expression for the partial derivative of  $y$  with respect to  $x_1$ .

- b. Find an expression for the partial derivative of  $y$  with respect to  $x_2$ .


- c. Find an expression for the marginal rate of substitution of  $x_2$  for  $x_1$  (that is, the formula for the |slope| of the level curves of  $y$ , with  $x_1$  on the vertical axis and  $x_2$  on the horizontal axis). Simplify if possible.



**IV. CRITICAL THINKING:** [4 pts] Answer *one* question below (your choice). Circle the question you are answering. Justify your answer and show your work.

(1) Let the function  $f(q)$  represent ABC Corporation's profit as a function of its output level  $q$ . Now  $f(q)$  is itself the difference of two other functions  $r(q)$  and  $c(q)$ , representing revenue and cost, both functions of  $q$ , so that  $f(q) = r(q) - c(q)$ . When  $f(q)$  is maximized, what must be the relationship between the derivatives  $dr/dq$  and  $dc/dq$ ? Why? (Ignore the graph.)

(2) Suppose  $U = f(I,P)$ , where  $U$  = utility or well-being,  $P$  = pollution, and  $I$  = income. Further suppose  $\partial U/\partial I$  is positive, but  $\partial U/\partial P$  is negative. Do the level curves of  $f(I,P)$  slope *up* or *down*? Justify your answer. Sketch a typical level curve.



[end of exam]